





SPACE-X "Falcon-9 B5" - CRS-16



Print on Cardstock (110 lbs)

1 cm
1 inch


1:100 Scale



Dragon capsule



capsule support



glue heatshield


cut thru lines in gray area

Curve gray area only before gluing


capsule support 1

capsule support


capsule support 1




Heatshield



Trunk support ring is glued approximately 5 mm down from the red line of the trunk segment



Solar panel shrouds new Logos




Trunk support

Trunk support 1





SPACE-X "Falcon 9 Block 5"




Print on Cardstock (110 lbs)



1:100 Scale




Titanium Grid Fins






1:100 Scale



SPACE-X "Falcon 9 Block 5"

Print on Cardstock (110 lbs)

Block 5





1:100 Scale






FALCON
9

SPACE-X "Falcon 9 Block 5"

Print on Cardstock (110 lbs)

Rev. 1
Block 5






1:100 Scale



SPACE-X "Falcon 9 Block 5"

Print on Cardstock (110 lbs)

BLOCK 5



Thicker Raceway



bottom



1:100 Scale









SPACE-X "Falcon 9 Block 5"

Print on Cardstock (110 lbs)



LEGS 2.0

Rev. 1





SPACE-X "Falcon 9 Block 5"

Print on Cardstock (110 lbs)




LEGS 2.0 page 2

Rev. 2




1:100 Scale



Legs pins

(roll the complete strip and then cut the individual pieces)

New Leg Hinges









1:100 Scale



SPACE-X "Falcon 9 Block 5"

MERLIN Engines

Print on Cardstock (110 lbs)



Engine Grid
OCTAWEB



SPACE-X "Falcon-9 v1.2" - CRS-16

Print on Cardstock (110 lbs)



1:100 Scale



FALCON 9

Curve gray area only before gluing

cut thru lines in gray area

cut

glue heatshield





Heatshield

Trunk support ring is glued approximately 5 mm down from the red line of the trunk segment

5 mm

cut out triangular areas

cut out triangular areas



L

R

